

# Certificate of Analysis

## Bai Zi Yang Xin Pian - 101 HT

Formula Details			
Formula Name	Bai Zi Yang Xin Pian	Batch Number	20081101
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	43 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.646 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.136 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.415 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	7900 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	60 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## An Shen Bu Xin Pian - 102 HT

Formula Details			
Formula Name	An Shen Bu Xin Pian	Batch Number	20081102
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	43 minutes	Pass
Lead (Pb)	≤ 10 ppm	7.483 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.120 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.563 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Qiang Huo Sheng Shi Pian - 105 HT

Formula Details			
<b>Formula Name</b>	Qiang Huo Sheng Shi Pian	<b>Batch Number</b>	20081105
<b>Production Date</b>	2008.12.11	<b>Report Date</b>	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
<b>Dissolution Time</b>	≤ 60 minutes	38 minutes	Pass
<b>Lead (Pb)</b>	≤ 10 ppm	3.125 ppm	Pass
<b>Arsenic (As)</b>	≤ 3 ppm	1.051 ppm	Pass
<b>Mercury (Hg)</b>	≤ 3 ppm	0.569 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
<b>Total Plate Count</b>	≤ 30,000 cfu/g	5200 cfu/g	Pass
<b>Fungal Plate Count</b>	≤ 100 cfu/g	45 cfu/g	Pass
<b>Esherichia Coli (E. Coli)</b>	Must test negative	Negative	Pass
<b>Mites</b>	Must test negative	Negative	Pass

# Certificate of Analysis

## Bu Zhong Yi Qi Pian - 201 SP

Formula Details			
Formula Name	Bu Zhong Yi Qi Pian	Batch Number	20081112
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	47 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.842 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.145 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.869 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5100 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Shi Quan Da Bu Pian - 202 SP

Formula Details			
<b>Formula Name</b>	Shi Quan Da Bu Pian	<b>Batch Number</b>	20081114
<b>Production Date</b>	2008.12.11	<b>Report Date</b>	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
<b>Dissolution Time</b>	≤ 60 minutes	56 minutes	Pass
<b>Lead (Pb)</b>	≤ 10 ppm	2.443 ppm	Pass
<b>Arsenic (As)</b>	≤ 3 ppm	1.105 ppm	Pass
<b>Mercury (Hg)</b>	≤ 3 ppm	1.358 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
<b>Total Plate Count</b>	≤ 30,000 cfu/g	4200 cfu/g	Pass
<b>Fungal Plate Count</b>	≤ 100 cfu/g	45 cfu/g	Pass
<b>Esherichia Coli (E. Coli)</b>	Must test negative	Negative	Pass
<b>Mites</b>	Must test negative	Negative	Pass

# Certificate of Analysis

## Er Chen Pian - 204 SP

Formula Details			
<b>Formula Name</b>	Er Chen Pian	<b>Batch Number</b>	20081129
<b>Production Date</b>	2008.12.11	<b>Report Date</b>	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
<b>Dissolution Time</b>	≤ 60 minutes	40 minutes	Pass
<b>Lead (Pb)</b>	≤ 10 ppm	5.900 ppm	Pass
<b>Arsenic (As)</b>	≤ 3 ppm	1.165 ppm	Pass
<b>Mercury (Hg)</b>	≤ 3 ppm	1.016 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
<b>Total Plate Count</b>	≤ 30,000 cfu/g	4300 cfu/g	Pass
<b>Fungal Plate Count</b>	≤ 100 cfu/g	40 cfu/g	Pass
<b>Esherichia Coli (E. Coli)</b>	Must test negative	Negative	Pass
<b>Mites</b>	Must test negative	Negative	Pass

# Certificate of Analysis

## Xiang Sha Liu Jun Pian - 205 SP

Formula Details			
Formula Name	Xiang Sha Liu Jun Pian	Batch Number	20081115
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	47 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.077 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.134 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.624 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	2900 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	30 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Bao He Pian - 206 SP

Formula Details			
Formula Name	Bao He Pian	Batch Number	20081116
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	50 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.743 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.059 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.309 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5000 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Gui Pi Pian - 207 SP

Formula Details			
Formula Name	Gui Pi Pian	Batch Number	20081117
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	38 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.534 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.134 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.165 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4400 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Bai He Gu Jin Pian - 302 LU

Formula Details			
Formula Name	Bai He Gu Jin Pian	Batch Number	20081126
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	58 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.802 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.129 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.819 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5000 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Run Chang Pian - 303 LU

Formula Details			
Formula Name	Run Chang Pian	Batch Number	20081113
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	48 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.520 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.106 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.195 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4800 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Yang Yin Qing Fei Pian - 304 LU

Formula Details			
<b>Formula Name</b>	Yang Yin Qing Fei Pian	<b>Batch Number</b>	20081127
<b>Production Date</b>	2008.12.11	<b>Report Date</b>	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
<b>Dissolution Time</b>	≤ 60 minutes	42 minutes	Pass
<b>Lead (Pb)</b>	≤ 10 ppm	3.753 ppm	Pass
<b>Arsenic (As)</b>	≤ 3 ppm	1.058 ppm	Pass
<b>Mercury (Hg)</b>	≤ 3 ppm	0.224 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
<b>Total Plate Count</b>	≤ 30,000 cfu/g	5400 cfu/g	Pass
<b>Fungal Plate Count</b>	≤ 100 cfu/g	45 cfu/g	Pass
<b>Esherichia Coli (E. Coli)</b>	Must test negative	Negative	Pass
<b>Mites</b>	Must test negative	Negative	Pass

# Certificate of Analysis

## Jin Gui Shen Qi Pian - 401 KI

Formula Details			
Formula Name	Jin Gui Shen Qi Pian	Batch Number	20081106
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	45 minutes	Pass
Lead (Pb)	≤ 10 ppm	5.425 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.213 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.455 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4300 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Qi Ju Di Huang Pian - 402 KI

Formula Details			
Formula Name	Qi Ju Di Huang Pian	Batch Number	20081107
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	58 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.309 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.152 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.483 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4400 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Liu Wei Di Huang Pian - 403 KI

Formula Details			
Formula Name	Liu Wei Di Huang Pian	Batch Number	20081108
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	54 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.912 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.027 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.101 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4300 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Zhi Bai Di Huang Pian - 404 KI

Formula Details			
Formula Name	Zhi Bai Di Huang Pian	Batch Number	20081109
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	38 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.407 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.071 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.781 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4300 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	10 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Wu Ling Pian - 406 KI

Formula Details			
Formula Name	Wu Ling Pian	Batch Number	20081111
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	57 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.005 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.124 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.556 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	25 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Xiao Chai Hu Pian - 502 LV

Formula Details			
Formula Name	Xiao Chai Hu	Batch Number	20081118
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	32 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.679 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.162 ppm	Pass
Mercury (Hg)	≤ 3 ppm	1.153 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5600 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Xue Fu Zhu Yu Pian - 507 LV

Formula Details			
Formula Name	Xue Fu Zhu Yu Pian	Batch Number	20081120
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	58 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.063 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.126 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.889 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4600 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Wen Dan Pian - 508 LV

Formula Details			
Formula Name	Wen Dan Pian	Batch Number	20081121
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	38 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.195 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.154 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.112 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4000 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Wen Jing Pian - 509 LV

Formula Details			
Formula Name	Wen Jing Pian	Batch Number	20081122
Production Date	2008.12.11	Report Date	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	38 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.195 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.062 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.112 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4000 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

# Certificate of Analysis

## Long Dan Xie Gan Pian - 510 LV

Formula Details			
<b>Formula Name</b>	Long Dan Xie Gan Pian	<b>Batch Number</b>	20081123
<b>Production Date</b>	2008.12.11	<b>Report Date</b>	2008.12.16

Quality Testing			
Test Category	Allowable Limit	Test	Result
<b>Dissolution Time</b>	≤ 60 minutes	47 minutes	Pass
<b>Lead (Pb)</b>	≤ 10 ppm	4.965 ppm	Pass
<b>Arsenic (As)</b>	≤ 3 ppm	1.214 ppm	Pass
<b>Mercury (Hg)</b>	≤ 3 ppm	0.273 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
<b>Total Plate Count</b>	≤ 30,000 cfu/g	4800 cfu/g	Pass
<b>Fungal Plate Count</b>	≤ 100 cfu/g	55 cfu/g	Pass
<b>Esherichia Coli (E. Coli)</b>	Must test negative	Negative	Pass
<b>Mites</b>	Must test negative	Negative	Pass