

Certificate of Analysis

Bai Zi Yang Xin Pian - 101 HT

Formula Details			
Formula Name	Bai Zi Yang Xin Pian	Batch Number	20090804
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	41 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.074 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.324 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.260 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.372 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

An Shen Bu Xin Pian - 102 HT

Formula Details			
Formula Name	An Shen Bu Xin Pian	Batch Number	20090801
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	57 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.997 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.147 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.445 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.290 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5800 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Qiang Huo Sheng Shi Pian - 105 HT

Formula Details			
Formula Name	Qiang Huo Sheng Shi Pian	Batch Number	20090829
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	21 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.443 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.251 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.576 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.191 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5100 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Bu Zhong Yi Qi Pian - 201 SP

Formula Details			
Formula Name	Bu Zhong Yi Qi Pian	Batch Number	20090818
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	48 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.314 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.216 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.259 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.402 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5400 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Shi Quan Da Bu Pian - 202 SP

Formula Details			
Formula Name	Shi Quan Da Bu Pian	Batch Number	20090802
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	39 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.808 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.402 ppm	Pass
Mercury (Hg)	≤ 3 ppm	2.071 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.290 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	6200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Er Chen Pian - 204 SP

Formula Details			
Formula Name	Er Chen Pian	Batch Number	20090820
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	30 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.261 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.226 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.362 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.366 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	8900 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	55 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Xiang Sha Liu Jun Pian - 205 SP

Formula Details			
Formula Name	Xiang Sha Liu Jun Pian	Batch Number	20090016
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	28 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.427 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.216 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.344 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.190 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4900 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Bao He Pian - 206 SP

Formula Details			
Formula Name	Bao He Pian	Batch Number	20090827
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	20 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.871 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.113 ppm	Pass
Mercury (Hg)	≤ 3 ppm	2.035 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.517 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4600 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Gui Pi Pian - 207 SP

Formula Details			
Formula Name	Gui Pi Pian	Batch Number	20090823
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	31 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.036 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.144 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.200 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.392 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5000 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Bai He Gu Jin Pian - 302 LU

Formula Details			
Formula Name	Bai He Gu Jin Pian	Batch Number	20090814
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	49 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.739 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.261 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.411 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.314 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Run Chang Pian - 303 LU

Formula Details			
Formula Name	Run Chang Pian	Batch Number	20090803
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	43 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.234 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.163 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.140 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.245 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4900 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Yang Yin Qing Fei Pian - 304 LU

Formula Details			
Formula Name	Yang Yin Qing Fei Pian	Batch Number	20090822
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	43 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.666 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.126 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.212 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.213 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5100 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Jin Gui Shen Qi Pian - 401 KI

Formula Details			
Formula Name	Jin Gui Shen Qi Pian	Batch Number	20090816
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	21 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.509 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.117 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.223 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.314 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4600 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Qi Ju Di Huang Pian - 402 KI

Formula Details			
Formula Name	Qi Ju Di Huang Pian	Batch Number	20090805
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	38 minutes	Pass
Lead (Pb)	≤ 10 ppm	2.108 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.326 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.096 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.352 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4800 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Liu Wei Di Huang Pian - 403 KI

Formula Details			
Formula Name	Liu Wei Di Huang Pian	Batch Number	20090828
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	34 minutes	Pass
Lead (Pb)	≤ 10 ppm	2.905 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.321 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.131 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.253 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4800 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Zhi Bai Di Huang Pian - 404 KI

Formula Details			
Formula Name	Zhi Bai Di Huang Pian	Batch Number	20090826
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	56 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.710 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.224 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.216 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.276 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Wu Ling Pian - 406 KI

Formula Details			
Formula Name	Wu Ling Pian	Batch Number	20090813
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	13 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.611 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.323 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.348 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.361 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	6500 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Xiao Chai Hu Pian - 502 LV

Formula Details			
Formula Name	Xiao Chai Hu	Batch Number	20090821
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	15 minutes	Pass
Lead (Pb)	≤ 10 ppm	5.030 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.053 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.461 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.273 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5400 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	45 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Xue Fu Zhu Yu Pian - 507 LV

Formula Details			
Formula Name	Xue Fu Zhu Yu Pian	Batch Number	20090810
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	47 minutes	Pass
Lead (Pb)	≤ 10 ppm	4.196 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.301 ppm	Pass
Mercury (Hg)	≤ 3 ppm	2.051 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.144 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4400 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Wen Dan Pian - 508 LV

Formula Details			
Formula Name	Wen Dan Pian	Batch Number	20090824
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	22 minutes	Pass
Lead (Pb)	≤ 10 ppm	2.987 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.046 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.264 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.107 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	5100 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	40 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Wen Jing Pian - 509 LV

Formula Details			
Formula Name	Wen Jing Pian	Batch Number	20090812
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	59 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.035 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.221 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.534 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.370 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	4800 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	35 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass

Certificate of Analysis

Long Dan Xie Gan Pian - 510 LV

Formula Details			
Formula Name	Long Dan Xie Gan Pian	Batch Number	20090819
Production Date	2009.09.02	Report Date	2009.09.05

Quality Testing			
Test Category	Allowable Limit	Test	Result
Dissolution Time	≤ 60 minutes	22 minutes	Pass
Lead (Pb)	≤ 10 ppm	3.933 ppm	Pass
Arsenic (As)	≤ 3 ppm	1.243 ppm	Pass
Mercury (Hg)	≤ 3 ppm	0.126 ppm	Pass
Cadmium (Cd)	≤ 1 ppm	0.341 ppm	Pass

Microbiological Testing			
Test Category	Allowable Limit	Test	Result
Total Plate Count	≤ 30,000 cfu/g	8200 cfu/g	Pass
Fungal Plate Count	≤ 100 cfu/g	50 cfu/g	Pass
Esherichia Coli (E. Coli)	Must test negative	Negative	Pass
Mites	Must test negative	Negative	Pass